

DIRECTOR OF CENTRAL INTELLIGENCE  
**Security Committee**

SECOM-D-673

1 October 1979

MEMORANDUM FOR: Executive Secretary, NFIP  
FROM:   
Executive Secretary  
SUBJECT: Monthly Activities Report  
September 1979

25X1C

This forwards the September 1979 monthly activities  
report for the DCI Security Committee.

25X1C

Attachment

Distribution:

Orig - Addressee w/att  
1 - SECOM Chrono w/att  
1 - SECOM Subject w/att

SECOM  (10/1/79)

25X1C

Regraded UNCLASSIFIED When  
Separate From Attachment

DCI SECURITY COMMITTEE  
MONTHLY ACTIVITIES REPORT  
SEPTEMBER 1979

1. The Committee staff provided information for the DCI's briefing of American Ambassador to the Soviet Union Watson concerning the security of the new US Embassy being constructed in Moscow. The briefing resulted in tasking for security assessments bearing on the new building. [ ] 25X1
2. The Committee's Security Advisory Group USSR traveled to the Soviet Union to observe, discuss with on-scene US officials, and evaluate security considerations affecting US Embassy facilities in Moscow. [ ] 25X1
3. Committee members agreed on a policy statement on exchange of information when one agency denies compartmented access to a person being considered for access by another Community agency. [ ] 25X1
4. The Committee's Security Awareness Working Group completed preparation of security briefings for senior executives and mid-level personnel, and presented them to the full Committee for consideration. [ ] 25X1
5. The staff provided guidance to COMIREX on establishment of a TK subcompartment designed to enhance the security of product from an improved collection system. [ ] 25X1
6. The Committee staff supported the Special Assistant to the DCI in his September 25th presentation to the NFIB on the APEX compartmentation system. [ ] 25X1

25X1

7. The results of a Community-wide zero-base review of operational compartmentation accesses, conducted by a SECOM subcommittee, were forwarded to the DCI for information. Community agencies reported reductions in all compartmented systems involved.

25X1